

CLUJ NAPOCA - STR. CAMPINA Nr: 40

[WWW.EUROUSI.RO](http://WWW.EUROUSI.RO)

SIBIU - STR.DOAMNA STANCA NR 11A

[WWW.USI-SB.RO](http://WWW.USI-SB.RO)

TURDA - STR. LIBERTATII Nr: 3

|                         |             |
|-------------------------|-------------|
| Delivery terms:         | EXW Dzielna |
| Production time (foil): | 5 - 6 Weeks |
| Production              | 5-6 Weeks   |
| Prices                  | RON         |

LISTA DE PRETURI VALABILA INCAPAND CU:10.41.2017 - TVA - inclus

## LISTA DE PRETURI - 01.04.2017

[comenzi@eurousi.ro](mailto:comenzi@eurousi.ro)

| Lp.                 | USI DE INTERIOR                          | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Topcoat (laquered) RAL 9017 |
|---------------------|--|-------------|---------------|-------------------|----------------|-----------------|-----------------------------|
| <b>USI MODULARE</b> |  |             |               |                   |                |                 |                             |
| 1                   | Aramis (1,2,3,4,5)                       | -           | -             | -                 | 1,198          | -               | 1,140                       |
| 2                   | Albero (1,2)                             | -           | -             | 760               | -              | -               | -                           |
| 3                   | Artena (1,2)                             | -           | -             | 760               | -              | -               | -                           |
| 4                   | Atos (1,2,3)                             | -           | -             | -                 | 1,140          | -               | 1,140                       |
| 5                   | Bianco (Nube, Neve, Sati, Fiori)         | -           | -             | 594               | -              | -               | -                           |
| 6                   | <b>Capena Inserto ( 1,2,3,4,5)</b>       | <b>691</b>  | <b>760</b>    | <b>760</b>        | -              | -               | -                           |
| 7                   | D'Artagnan 1, Intero                     | 899         | 1,010         | 1,010             | 1,198          | 1,294           | -                           |
|                     | D'Artagnan Tondo, Riga, Solei            | 1,161       | 1,230         | 1,230             | 1,344          | 1,439           | -                           |
| 8                   | <b>Destino Unico(1,2,3,4,5)</b>          | <b>718</b>  | <b>787</b>    | <b>787</b>        | -              | -               | -                           |
| 9                   | Domino (1 - 6, 16 - 17)                  | 538         | 608           | 608               | 1,511          | 1,511           | -                           |
|                     | Domino (7 - 15)                          | 552         | 621           | 621               | 1,511          | 1,511           | -                           |
| 10                  | Gwinea (1,2,3,4,5,6,7)                   | 566         | 635           | 635               | -              | -               | -                           |
| 11                  | <b>Larina ( Nube, Neve, Sati, Fiori)</b> | <b>527</b>  | <b>598</b>    | -                 | -              | -               | -                           |
| 12                  | <b>Linea Forte ( 1,2,3,4,5)</b>          | <b>598</b>  | <b>670</b>    | <b>670</b>        | -              | -               | -                           |
| 13                  | Malawi (1,2,3,4,5,6)                     | 608         | 677           | 677               | -              | -               | -                           |
| 14                  | Martina (1, 2, 3, 4, 5)                  | 608         | 677           | 677               | -              | -               | -                           |
| 15                  | Portos (1,2,3)                           | -           | -             | -                 | 1,185          | -               | 1,185                       |

|    |                     |     |     |     |   |   |   |
|----|---------------------|-----|-----|-----|---|---|---|
| 16 | Salento (1,2,3,4,5) | -   | -   | 649 | - | - | - |
| :  | <u>LIVATA</u>       | 630 | 750 | 750 | : | : | : |
| :  | <u>VERSANO</u>      | 630 | 750 | 750 | : | : | : |
| :  | <u>NOGARO</u>       | 630 | 750 | 750 | : | : | : |
| :  | <u>TAMPARO</u>      | 630 | 750 | 750 | : | : | : |
| :  | <u>FOSSANO</u>      | 630 | 750 | 750 | : | : | : |
| :  | <u>IMPERIA</u>      | 630 | 750 | 750 | : | : | : |
| :  | <u>VINADIO</u>      | 630 | 750 | 750 | : | : | : |

|  |                                       |   |   |   |      |      |      |
|--|---------------------------------------|---|---|---|------|------|------|
|  | <u>PLANO</u>                          | : | : | : | 1740 | 1740 | 1800 |
|  | <u>PLANO CINTURA, PLANO CINTURA 2</u> | : | : | : | :    | :    | 1800 |
|  | <u>QUADRO</u>                         | : | : | : | 1740 | 1740 | :    |

### USI STICLA

|    |                        |       |   |   |   |   |   |
|----|------------------------|-------|---|---|---|---|---|
| 17 | Amber (3, 5, 6, 7, 11) | 1,003 | - | - | - | - | - |
|    | Amber (8, 10))         | 1,180 | - | - | - | - | - |
|    | Amber (9,12,16)        | 1,475 | - | - | - | - | - |
|    | Amber 13               | 944   | - | - | - | - | - |
|    | Amber 14               | 530   | - | - | - | - | - |
|    | Amber 15               | 617   | - | - | - | - | - |

### USI STANDARD

| Lp. | USI DE INTERIOR    | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Topcoat (laquered) RAL |
|-----|--------------------|-------------|---------------|-------------------|----------------|-----------------|------------------------|
| 18  | Aquarius (1,2)     | 400         | -             | 552               | -              | -               | -                      |
| 19  | Dolce (1,2,3)      | 353         | -             | 519               | -              | -               | -                      |
| 20  | Donna 1            | 506         | -             | -                 | -              | -               | -                      |
|     | Donna (2,3)        | 477         | -             | -                 | -              | -               | -                      |
| 21  | Gemini (1,2,3)     | 441         | -             | 580               | -              | -               | -                      |
| 22  | Genua (1,2,3,4)    | 525         | -             | 760               | -              | -               | -                      |
| 23  | Libra              | 400         | -             | 552               | -              | -               | -                      |
| 24  | Lido (1 - 10)      | 536         | -             | 674               | -              | -               | -                      |
| 25  | Merano (1,2,3,4,5) | 455         | -             | 621               | -              | -               | -                      |
| 26  | Modena 1           | 464         | -             | 713               | -              | -               | -                      |
|     | Modena (2,3)       | 464         | -             | 630               | -              | -               | -                      |
| 27  | Nida (1,3)         | 414         | -             | -                 | -              | -               | -                      |
|     | Nida 2             | 491         | -             | -                 | -              | -               | -                      |
|     | Norma Decor 1      | 194         | -             | 321               | -              | -               | -                      |



|    |   |       |   |       |   |   |   |
|----|---|-------|---|-------|---|---|---|
| 44 | Guardia IE30 flat double door, size 190-220, door frame 60 x 100 mm   | 4,636 | - | 4,968 | - | - | - |
|    | Guardia IE30 glazed double door, size 140-180, door frame 60 x 100 mm | 6,961 | - | 7,293 | - | - | - |
|    | Guardia IE30 glazed double door, size 190-220, door frame 60 x 100 mm | 8,704 | - | 9,036 | - | - | - |
| 45 | Guardia IE60 flat, size 70-90, door frame 60 x 100 mm                 | 2,456 | - | 2,622 | - | - | - |
|    | Guardia IE60 flat, size 100-110, door frame 60 x 100 mm               | 2,747 | - | 2,913 | - | - | - |
|    | Guardia IE60 glazed, size 70-90, door frame 60 x 100 mm               | 5,362 | - | 5,528 | - | - | - |
|    | Guardia IE60 glazed, size 100-110, door frame 60 x 100 mm             | 6,525 | - | 6,691 | - | - | - |
|    | Guardia IE60 flat double door, size 140-180, door frame 60 x 100 mm   | 4,926 | - | 5,259 | - | - | - |
|    | Guardia IE60 flat double door, size 190-220, door frame 60 x 100 mm   | 5,701 | - | 6,034 | - | - | - |
|    | Guardia IE60 glazed double door, size 140-180, door frame 60 x 100 mm | 7,833 | - | 8,165 | - | - | - |
|    | Guardia IE60 glazed double door, size 190-220, door frame 60 x 100 mm | 9,576 | - | 9,908 | - | - | - |

| Lp. | TOCURI PENTRU USI TEHNICE   | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Topcoat (laquered) RAL 9017 |
|-----|---|-------------|---------------|-------------------|----------------|-----------------|-----------------------------|
| 46  | Made of finger joint pinewood for Egida doors, size 80-90             | 3,808       | -             | 317               | -              | -               | -                           |
|     | Made of finger joint pinewood for Egida doors, size 100-110           | 334         | -             | 350               | -              | -               | -                           |
| 47  | Metal frame for Egida and Norma Decor 7 reinforced doors, size 80-110 | 390         | -             | 390               | -              | -               | -                           |
| 48  | MDF door frame for Norma Decor 7 reinforced, 80-90                    | 273         | -             | 285               | -              | -               | -                           |
|     | MDF door frame for Norma Decor 7 reinforced, 100-110                  | 273         | -             | 285               | -              | -               | -                           |
| 49  | Metal door frame for Ignis doors                                      | 538         | -             | 538               | -              | -               | -                           |
|     | Adjustable frames for IGNIS doors                                     |             |               |                   |                |                 |                             |
|     | B) 100-119  | 645         | -             | 691               | -              | -               | -                           |
|     | C) 120-139  | 664         | -             | 713               | -              | -               | -                           |
|     | D) 140-159  | 677         | -             | 725               | -              | -               | -                           |

|    |            |       |   |       |   |   |   |
|----|------------|-------|---|-------|---|---|---|
|    | E) 160-179 | 696   | - | 747   | - | - | - |
|    | F) 180-199 | 728   | - | 783   | - | - | - |
|    | G) 200-219 | 754   | - | 814   | - | - | - |
|    | H) 220-239 | 779   | - | 839   | - | - | - |
|    | I) 240-259 | 805   | - | 866   | - | - | - |
|    | J) 260-279 | 823   | - | 888   | - | - | - |
|    | K) 280-299 | 850   | - | 918   | - | - | - |
|    | L) 300-319 | 875   | - | 940   | - | - | - |
|    | M) 320-339 | 897   | - | 962   | - | - | - |
|    | N) 340-359 | 1,023 | - | 1,092 | - | - | - |
|    | O) 360-379 | 1,050 | - | 1,120 | - | - | - |
| 50 | P) 380-399 | 1,071 | - | 1,140 | - | - | - |

| Lp.                   | TOCURI REGLABILE | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Non-rebated door frames for Plano and Quadro |
|-----------------------|------------------|-------------|---------------|-------------------|----------------|-----------------|--|
|                       | A) 75-94         | 277         | 326           | 323               | 523            | 627             | 823  |
|                       | B) 95-114        | 289         | 337           | 334               | 541            | 646             | 864  |
|                       | C) 120-139       | 298         | 351           | 349               | 563            | 675             | 877  |
|                       | D) 140-159       | 311         | 365           | 363               | 581            | 699             | 901  |
|                       | E) 160-179       | 315         | 384           | 383               | 602            | 720             | 923  |
|                       | F) 180-199       | 328         | 419           | 419               | 619            | 742             | 947  |
|                       | G) 200-219       | 339         | 435           | 436               | 666            | 797             | 1,005  |
|                       | H) 220-239       | 350         | 438           | 439               | 695            | 833             | 1,041  |
|                       | I) 240-259       | 361         | 450           | 451               | 722            | 866             | 1,077  |
|                       | J) 260-279       | 378         | 461           | 462               | 749            | 898             | 1,110  |
|                       | K) 280-299       | 394         | 474           | 476               | 778            | 931             | 1,144  |
|                       | L) 300-319       | 408         | 531           | 535               | 805            | 966             | 1,182  |
|                       | M) 320-339       | 435         | 539           | 543               | 832            | 996             | 1,214  |
| <b>TOCURI COMPUSE</b> |                  |             |               |                   |                |                 |  |
|                       | N) 340-359       | 433         | 587           | 593               | 864            | 1,035           | 1,251  |
|                       | O) 360-379       | 485         | 605           | 612               | 893            | 1,070           | 1,288  |
|                       | P) 380-399       | 506         | 634           | 642               | 930            | 1,114           | 1,335  |
|                       | Q) 400-419       | 537         | 657           | 666               | 959            | 1,150           | 1,373  |
|                       | R) 420-439       | 596         | 680           | 689               | 994            | 1,194           | 1,420  |
|                       | S) 440-459       | 617         | 703           | 713               | 1,023          | 1,229           | 1,457  |

|    |            |     |     |     |       |       |       |
|----|------------|-----|-----|-----|-------|-------|-------|
| 51 | T) 460-479 | 663 | 727 | 737 | 1,057 | 1,275 | 1,495 |
|    | U) 480-499 | 680 | 750 | 762 | 1,086 | 1,309 | 1,542 |
|    | V) 500-519 | 735 | 822 | 836 | 1,160 | 1,441 | 1,673 |
|    | W) 520-539 | 768 | 846 | 860 | 1,189 | 1,475 | 1,710 |
|    | X) 540-559 | 785 | 869 | 885 | 1,218 | 1,519 | 1,756 |
|    | Y) 560-579 | 814 | 893 | 909 | 1,247 | 1,555 | 1,795 |
|    | Z) 580-599 | 838 | 916 | 933 | 1,276 | 1,590 | 1,841 |
|    | Ž) 600-619 | 861 | 941 | 959 | 1,305 | 1,634 | 1,879 |

| Lp. | Non-rebated adjustable door frames for Plano and Quadro doors | Price     |  | Price |  | Price |
|-----|---|-----------|--|-------|--|-------|
| 52  | Additional charge for high gloss laquered coating             | 553.536   |  | 761   |  | 969   |
|     |   | 588.17664 |  | 796   |  | 1,672 |
|     |   | 622.728   |  | 830   |  | 1,038 |
|     |   | 657.36864 |  | 865   |  | 1,073 |
|     |   | 691.92    |  | 899   |  | 1,107 |
|     |   | 726.56064 |  | 934   |  | 1,142 |

| Lp. | TOCURI REGLABILE ELEGANCE PENTRU USI FARA FALT | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Topcoat (laquered) RAL 9016 |
|-----|--|-------------|---------------|-------------------|----------------|-----------------|-----------------------------|
| 53  | A) 75-94                                       | 621         | 650           | 668               | 984            | 1,172           | -                           |
|     | B) 95-114                                      | 630         | 660           | 680               | 1,002          | 1,203           | --                          |
|     | C) 120-139                                     | 641         | 674           | 695               | 1,025          | 1,240           | -                           |
|     | D) 140-159                                     | 650         | 685           | 706               | 1,043          | 1,269           | --                          |
|     | E) 160-179                                     | 659         | 695           | 710               | 1,063          | 1,299           | -                           |
|     | F) 180-199                                     | 673         | 711           | 735               | 1,131          | 1,378           | -                           |
|     | G) 200-219                                     | 681         | 721           | 745               | 1,156          | 1,416           | -                           |
|     | H) 220-239                                     | 691         | 732           | 756               | 1,180          | 1,452           | -                           |
|     | I) 240-259                                     | 699         | 742           | 767               | 1,205          | 1,488           | -                           |
|     | J) 260-279                                     | 709         | 753           | 778               | 1,230          | 1,524           | -                           |
|     | K) 280-299                                     | 742         | 787           | 816               | 1,283          | 1,589           | -                           |
|     | L) 300-319                                     | 826         | 901           | 909               | 1,317          | 1,634           | -                           |

| Lp. | TOCURI FIXE                              | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer | Topcoat (laquered) RAL 9016 |
|-----|--|-------------|---------------|-------------------|----------------|-----------------|-----------------------------|
| 54  | Block frame OB4 60 x 44 mm               | 160         | 176           | 182               | 360            | 414             | -                           |
| 55  | Block frame OB3 flat 90 x 44 mm          | 175         | 195           | 210               | 360            | 414             | -                           |
| 56  | Block frame OB6 oval 90 x 44 mm          | 190         | 230           | 240               | 380            | -               | -                           |
| 57  | Covering profile flat LO1 - one side set | 65          | 75            | 75                | 100            | 100             | -                           |
| 58  | Covering profile oval LO2 - one side set | 65          | 75            | 85                | 111            | 111             | -                           |
| 59  | Quadrant LC1 - one side set              | 32          | 33            | 421               | 54             | 58              | -                           |

| Lp. | Door frames options at extra charge             |                             |
|-----|---|-----------------------------|
| 60  | Door frame with sidelights and transoms         | plus 90%                    |
| 61  | Door frame for double door                      | plus 50%                    |
| 62  | Adjustable door frame with oval angle           | plus 30%                    |
| 63  | Covering profile flat LO1 - set for double door | plus 50%                    |
| 64  | Covering profile oval LO2 - set for double      | plus 50%                    |
| 65  | Quadrant LC1 - set for double door frame        | plus 50%                    |
| 66  | Non-typical dimensions                          | plus min. 30%               |
| 67  | Wall framing („blind door frame”)               | Price of adjust. door frame |
| 68  | Additional hinge in door frames "60"- "80" /    | 2.48                        |
| 69  | Adjustable door frame with bumper for single    | plus 15%                    |

| Lp. | SISTEME DE GLISARE                  | Enduro foil         | Embossed foil       | Eco-Veneer (CLPL)   | Natural veneer      | Modified veneer     | Topcoat (laquered) RAL 9016 |
|-----|-------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-----------------------------|
| 70  | sistem simplu pe perete             | 387                 | 407                 | 426                 | 432                 | 475                 | -                           |
|     | Sliding system (rail + accessories) | 199                 | 199                 | 199                 | 199                 | 199                 | -                           |
|     | Rail cover                          | 188                 | 208                 | 227                 | 232                 | 275                 | -                           |
|     | <b>total:</b>                       | <b><u>775</u></b>   | <b><u>814</u></b>   | <b><u>852</u></b>   | <b><u>864</u></b>   | <b><u>949</u></b>   |                             |
| 71  | On wall system - double             | 776                 | 836                 | 852                 | 864                 | 947                 | -                           |
|     | Sliding system (rail + accessories) | 399                 | 399                 | 399                 | 399                 | 399                 | -                           |
|     | Rail cover                          | 378                 | 437                 | 454                 | 465                 | 548                 | -                           |
|     | <b>total:</b>                       | <b><u>1,553</u></b> | <b><u>1,672</u></b> | <b><u>1,705</u></b> | <b><u>1,727</u></b> | <b><u>1,893</u></b> |                             |

|    |  |       |       |       |       |       |   |
|----|--|-------|-------|-------|-------|-------|---|
| 72 | Folding door(without door frame)       | 673   | -     | 886   | -     | -     | - |
|    | Folding door+glass(without door frame) | 797   | -     | 1,010 | -     | -     | - |
| 73 | Slowing-down device                    | 152   | 152   | 152   | 152   | 152   | - |
| 74 | Key hook lock (chrome,satin)           | 219   | 219   | 219   | 219   | 219   | - |
| 75 | WC hook lock (chrome,satin)            | 262   | 262   | 262   | 262   | 262   | - |
| 76 | Pocket door system- single             | 1,529 | 1,571 | 1,571 | 1,942 | 1,995 | - |
| 77 | Pocket door system- double             | 2,692 | 2,733 | 2,733 | 3,889 | 3,991 | - |

| Lp. | TOC REGLABIL PENTRU TOCURI METALICE | Enduro foil | Embossed foil | Eco-Veneer (CLPL) | Natural veneer | Modified veneer |   |
|-----|-------------------------------------|-------------|---------------|-------------------|----------------|-----------------|---|
| 78  | A) 60-94                            | 480         | 515           | 534               | -              | -               | - |
|     | B) 95-129                           | 498         | 540           | 563               | -              | -               | - |
|     | C) 130-199                          | 525         | 574           | 603               | -              | -               | - |
|     | D) 200-269                          | 555         | 617           | 646               | -              | -               | - |

| Lp. | MANERE                         | Key / Cylinder lock | WC  |
|-----|--------------------------------|---------------------|-----|
| 79  | Invado - R M6/M9 chrome/nickel | 150                 | 175 |
| 80  | Presto - R M6/M9 chrome/nickel | 150                 | 175 |
| 81  | Invado - QR M9 nickel          | 150                 | 175 |
| 82  | Qubik - QR M9 nickel           | 150                 | 175 |
| 83  | Prado - QR INX stainless Steel | 150                 | 175 |
| 84  | Giusy - R M3 grafiatto brown   | 150                 | 175 |
|     | Giusy - R M6/M9 chrome/nickel  | 150                 | 175 |
| 85  | Quanta - M4 satin chrome       | 150                 | 175 |
|     | Quanta - M6 chrome             | 150                 | 175 |
| 86  | Nesh - M4 satin chrome         | 150                 | 175 |
|     | Nesh - M6 chrome               | 150                 | 175 |
| 87  | Fokus - M91 nickel velvet      | 150                 | 175 |
|     | Fokus - M3 grafiatto brown     | 150                 | 175 |
|     | Fokus-R - M91 nickel velvet    | 150                 | 175 |
| 88  | Belia - SN satin nickel        | 150                 | 175 |
| 89  | Flip - SN satin nickel         | 150                 | 175 |



|     |   |           |
|-----|---|-----------|
| Lp. | Accessories /options for foiled doors at extra charge |           |
|     | COST SUPLIMENTAR PENTRU PERVAZ DE 8 CM                | 35        |
| 90  | COST SUPLIMENTAR PENTRU STRUCTURA PAL PERFORAT        | 100       |
| 91  | COT SUPLIMENTAR PENTRU A TREIA BALAMA                 | 22        |
| 92  | COST SUPLIMENTAR PENTRU USI FARA DECUPAJ LA MANER     | 116       |
| 93  | COST SUPLIMENTAR PENTRU USI DUBLE                     | 116       |
| 94  | ORIFICII DE VENTILATIE                                | 29        |
| 95  | PREGATIRE PENTRU CILINDRU                             | 22        |
| 96  | Door with a lock without a key hole                   | no charge |
| 97  | COST SUPLIMNTAR PENTRU USI DE "100"                   | 58        |
| 98  | DECUPAJ DE VENTILATIE                                 | 44        |
| 99  | CAPACE PENTRU BALAMALE                                | 20        |
| 100 | STICLA" MASTER CARE" PENTRU USA MERANO                | 40        |
| 101 | STICLA" MASTER CARE" PENTRU USA TORINO                | 30        |
| 102 | STICLA "SATINATO " PENTRU USA modena.                 | 116       |
|     |   |           |
| Lp. | ACESORII PENTRU USI MODULARE                          |           |
| 103 | STICLA SATINATA PENTRU USILE ATOS SI PORTOS.          | 132       |
| 104 | STICLA SATINATA PENTRU USILE ARAMIS                   | 36        |
| 105 | STICLA CHINCHILA MARO PENTRU USILE ATOS SI PORTOS     | 44        |
| 106 | STICLA CHINCHILA MARO PENTRU USILE ARAMIS             | 15        |
| 107 | STICLA CRISTAL PENTRU USILEATOS, PORTOS/ set          | 581       |
| 108 | STICLA CRISTAL PENTRU USILEARAMIS                     | 161       |

|     |   |           |
|-----|---|-----------|
| 109 | Glass "master carre" or "transparent glass" in D'ARTAGNAN / pce | no charge |
| 110 | Glass "Nero" - BIANCO Neve 2, Sati 2, Fiori 2, Nube 2           | 82        |
| 111 | Glass "Nero" - BIANCO Neve 3, Sati 3, Fiori 3, Nube 3           | 137       |
| 112 | Glass "Contrasto" - BIANCO Neve 2, Sati 2, Fiori 2, Nube 2      | 26        |
| 113 | Glass "Contrasto" - BIANCO Neve 3, Sati 3, Fiori 3, Nube 3      | 54        |
| 114 | Undercut (not applicable for D'ARTAGNAN and RICHELIEU doors)    | 44        |
| 115 | Door width "100"  | 58        |
| 116 | Door with a lock without a key hole                             | no charge |
| 117 | Metal sleeves round (brass, chrome) / set                       | 87        |
| 118 | Metal sleeves square (nickel, chrome) / set                     | 219       |
| 119 | Non-rebated version (modular doors only)                        | 116       |
| 120 | Door without rabbets (for sliding system)                       | 116       |
| 121 | Two-leaf door   | 116       |
| 122 | Porthole only for Plano and Quadro doors                        | 621       |
| 123 | Any other RAL color for Plano + door frame                      | 506       |
| 124 | High gloss coating for Plano, Quadro "60"                       | 789       |
| 125 | High gloss coating for Plano, Quadro "70"                       | 899       |
| 126 | High gloss coating for Plano, Quadro "80"                       | 1,010     |
| 127 | High gloss coating for Plano, Quadro "90"                       | 1,121     |
| 128 | Cylinder 31/36 (for cylinder lock)                              | 22        |
| Lp. | Accessories for glass doors                                     |           |
| 129 | VX 6000 INX: handle+lock without a hole+hinges+caps             | 691       |
| 130 | VX 6000 INX: handle+cylinder lock+hinges+caps                   | 691       |

|     |   |       |
|-----|---|-------|
| 131 | VX 6000 INX: handle+WC lock+hinges+caps                           | 732   |
| 132 | METALGLAS: handle+lock without a hole+hinges+caps                 | 1,180 |
| 133 | METALGLAS: handle+cylinder lock+hinges+caps                       | 1,180 |
| 134 | METALGLAS: handle+WC lock+hinges+caps                             | 1,239 |
| 135 | INVADO: handle+lock without a hole+hinges+caps                    | 870   |
| 136 | INVADO: handle+cylinder lock+hinges+caps                          | 870   |
| 137 | INVADO : handle+WC lock+hinges+caps                               | 913   |
| Lp. | Accessories for technical doors at extra charge                   |       |
| 138 | Automatic door bottom seal for Egida "80"- "90"                   | 249   |
| 139 | Automatic door bottom seal for Egida "100"- "110"                 | 277   |
| 140 | Viewfinder (EGIDA)  | 18    |
| 141 | Handle Jane + square rose, color M3 or M6/M9 (EGIDA)              | 113   |
| 142 | Set of cylinder inserts 30x40 mm, class II, 6 keys (EGIDA)        | 158   |
| 143 | Viewfinder (GUARDIA)  | 73    |
| 144 | Smoke protection (GUARDIA)  | 364   |
| 145 | Self-closing device (GUARDIA)                                     | 291   |
| 146 | Cylinder insert for Ignis   | 40    |
| 147 | Mounting Kit for G-K walls  | 30    |
| 148 | Mounting Kit for brick walls                                      | 24    |
| 149 | Decorative Completo stripe for Guardia, Ignis - Enduro foil       | 102   |
| 150 | Decorative Completo stripe for Guardia, Ignis - Eco-Veneer (CLPL) | 123   |
| 151 | Angle architrave - Enduro foil - one side set                     | 125   |
| 152 | Angle architrave - Eco-Veneer (CLPL) - one side set               | 138   |
|     | Enlarging element - 40 - 100mm (GUARDIA) Eco-Veneer(CLPL)         | 152   |
|     | Enlarging element - 100 - 200 mm (GUARDIA) Eco-Veneer(CLPL)       | 220   |

|     |   |     |
|-----|---|-----|
| 153 | Enlarging element - 200 - 300 mm (GUARDIA) Eco-Veneer(CLPL) | 286 |
|     | Enlarging element - 40 - 100 mm (GUARDIA) Enduro foil       | 138 |
|     | Enlarging element - 100 - 200 mm (GUARDIA) Enduro foil      | 199 |
| 154 | Enlarging element - 200 - 300 mm (GUARDIA) Enduro foil      | 260 |